

POLLING STATION	POLLING DISTRICTS SERVED	ACCESS	PARKING	INTERNAL SPACE	STAFF FACILITIES	NUMBER OF ELECTORS CURRENTLY ENTITLED TO VOTE HERE *	*These figures include current postal voters
ASHBOURNE - EMPIRE CLUB	BAS	minor step.	Limited with no Disabled	Good - Internal Steps	full facilities	1537	
ASHBOURNE - HILLTOP INFANTS SCHOOL	BAH	Good with Level Access	Yes including Disabled	Adequate	Full Facilities	2488	2 stations
ASHBOURNE - MOBILE UNIT SHAWCROFT CARPARK	AAP	Good with Disabled Access	Yes including Disabled	Good	full facilities	1033	
ASHBOURNE TOWN HALL	AAB, AOU	Good with Disabled Access	At distance on Market Place	Good - internal steps	full facilities	1898	
ASHFORD WAR MEMORIAL INSTITUTE	HAW	Good with Level Access	Yes including Disabled	Good	full facilities	371	
ATLOW VILLAGE HALL	MAT	Level Access but via patio door	Yes including Disabled	Good	full facilities	100	
BAKEWELL METHODIST JUNIOR SCHOOL	HBM	Good with Level Access	Yes including Disabled	Good	full facilities	822	
BAKEWELL TOWN HALL	HBT	Good with Level Access	Disabled only	Good	full facilities	2158	
BASLOW VILLAGE HALL	CBB	Small room and somewhat cluttered	Yes on Street & Adjacent Carpark	Good	full facilities	965	
BEELEY - CAVENDISH VILLAGE HALL	CBE	Adequate but on slope	Yes on Street excluding Disabled	Adequate - difficult wheelchair access	full facilities	118	
BIGGIN VILLAGE HALL	IBI	Good with Level Access	Yes including Disabled	Good	full facilities	331	
BIRCHOVER READING ROOM	VBI	Good with Level Access	Yes including Disabled	Good	full facilities	276	
BOLEHILL MEN'S INSTITUTE	ZWB	Adequate - may require ramp	Limited excluding Disabled	small to accommodate booth and table	Toilets & Drink making facility only	608	
BONSALL VILLAGE HALL	RBO	Adequate with Ramp	Yes on Street excluding Disabled	Good	full facilities, can be cold	639	
BOYLESTONE VILLAGE HALL	OBO	Adequate with Ramp	Yes on Street excluding Disabled	Good	full facilities	160	
BRADBOURNE CHURCH HALL	MBA/MBD	Good with Level Access	Yes including Disabled	Good	full facilities	157	
BRADLEY C OF E PRIMARY SCHOOL	GBR	Good with Level Access	Yes but no Disabled	Good	full facilities	251	
BRADWELL MEMORIAL HALL	KBR	Adequate due to steep steps with separate disabled ramp access to side	Yes excluding Disabled and on Street	Good - long stepped corridor to toilets	full facilities	1144	
BRAILSFORD AND EDNASTON INSTITUTE	DBR/DME	Good with Level Access	Yes including Disabled	Good	full facilities	1022	
BRASSINGTON VILLAGE HALL	MAL/MBS	Good with Level Access	Yes including Disabled	Good	full facilities	506	
CALVER VILLAGE HALL	FCA/FFR	Good with Level Access	Yes including Disabled	Good	full facilities	746	

## OFFICIAL-[SENSITIVE]

<b>CARSINGTON &amp; HOPTON PRIMARY SCHOOL</b>	<b>MCA/MHP/MIB</b>	Good with Level Access	Yes including Disabled	Good	full facilities	241	
<b>CHELMORTON WAR MEMORIAL INSTITUTE</b>	<b>TCH</b>	Good with Level Access	Yes including Disabled	Good	full facilities - problems with phone reception	262	
<b>CLIFTON SMITH CHURCH HALL</b>	<b>GCC</b>	Good with Ramp	Yes including Disabled	Good	full facilities	401	
<b>CRESSBROOK SOCIAL CLUB</b>	<b>NLC</b>	Poor sloped access and disabled access non-existent	None - very narrow lane.	Good	full facilities	142	
<b>CROMFORD INSTITUTE</b>	<b>RCR</b>	poor/no disabled access	Yes on Street excluding Disabled	Good	full facilities, can be cold/damp	1196	
<b>CUBLEY - MARY CLOWES HALL</b>	<b>0AL/OCU/OHB</b>	Adequate but has slope	Yes including Disabled	Good - Kitchen down steep step	full facilities	302	
<b>CURBAR WESLEYAN REFORM CHURCH</b>	<b>FCU</b>	poor disabled access - requires temporary ramp - very tight space	Yes excluding Disabled	poor corridor access	Toilets & Kitchen in same room	327	
<b>DARLEY DALE - ARC LEISURE MATLOCK</b>	<b>SHE/SUH</b>	Good with Level Access	Yes including Disabled	Good	full facilities	1398	
<b>DARLEY DALE - JOSEPH WHITWORTH CENTRE</b>	<b>SNW</b>	Good with Level Access	Yes including Disabled	Good	Toilets & Drinks only, Food available in Café	1323	
<b>DARLEY DALE - MENCAP CENTRE</b>	<b>SDH</b>	Good with Level Access	Yes including Disabled	Good	full facilities	642	
<b>DARLEY DALE - THE GROUSE</b>	<b>SNG</b>	Good with Level Access	Yes including Disabled	Good	full facilities	1303	
<b>DARLEY DALE - WESLEYAN HOUSE</b>	<b>VNT</b>	No Level or Disabled Access. Owner has indicated will not be available in future.	Yes excluding Disabled and on Street	Good	full facilities	512	
<b>DOVERIDGE VILLAGE HALL</b>	<b>EDO/OSH</b>	Good with Level Access	Yes including Disabled	Good	Toilets & Kitchen	1294	
<b>EARL STERNDALE METHODIST CHAPEL</b>	<b>TES</b>	Adequate - requires temporary ramp	Yes but no Disabled	Good	full facilities	307	
<b>EDENSOR, CAVENDISH HALL</b>	<b>CCH/CED</b>	Adequate - requires temporary ramp	Yes on Street excluding Disabled	Good	full facilities	126	
<b>ELTON VILLAGE HALL</b>	<b>WEL</b>	Good with minor step.	Yes on Street excluding Disabled	Good	full facilities	342	
<b>EYAM MECHANICS INSTITUTE</b>	<b>JEY</b>	Adequate to Poor - requires temporary ramp that cannot be left out all day and is steep	Yes on Street excluding Disabled	Good	Toilets only	782	
<b>FENNY BENTLEY - COACH AND HORSES</b>	<b>IFB</b>	No Level Access	Yes including Disabled	Good - internal steps	full facilities	141	
<b>FLAGG VILLAGE HALL</b>	<b>TFL</b>	Good with Level Access	Yes including Disabled	Good	full facilities	159	
<b>FOLOW, BURDEKIN HALL</b>	<b>KFO</b>	Good with Level Access	Yes on Street excluding Disabled	Good but small	full facilities	107	

## OFFICIAL-[SENSITIVE]

<b>GREAT HUCKLOW, NIGHTINGALE CENTRE</b>	<b>KGH/KGR/KHA/KLH</b>	Disabled access is involves going to rear of building and is not available when children are in residence. Owners have indicated that building will not be available in future.	Yes on Street including Disabled	Good but small to the exclusion of Tellers	full facilities	241	
<b>GREAT LONGSTONE VILLAGE HALL</b>	<b>NGL/NHA/NMH/NRO</b>	Good with Level Access	Yes limited on Street excluding Disabled	Good	full facilities	660	
<b>GRINDLEFORD BISHOP PAVILION</b>	<b>JGR</b>	Good with Disabled Access (When building work complete)	Yes including Disabled	Good	full facilities	741	
<b>HARTINGTON VILLAGE HALL</b>	<b>THA</b>	Good with Level Access	Yes on Street including Disabled	Good	Toilets only	264	
<b>HATHERSAGE MEMORIAL HALL</b>	<b>JHA/JAB/JHI/JOF</b>	Good with Level Access	Yes on Street excluding Disabled	Good - challenge for wheelchair access	full facilities	1634	
<b>HOGNASTON VILLAGE HALL</b>	<b>MHG</b>	Good with Level Access	Yes including Disabled	Good	full facilities	209	
<b>HOLLINGTON - RED LION INN</b>	<b>DHO</b>	Good with Level Access	Yes including Disabled	Good	full facilities	181	
<b>HULLAND &amp; DISTRICT MILLENNIUM VILLAGE HALL</b>	<b>LBI/LHU/LHW</b>	Good with Disabled Access	Yes including Disabled	Good	full facilities	1083	
<b>KIRK IRETON VILLAGE HALL</b>	<b>LCA</b>	Good with Level Access	Yes on Street excluding Disabled	Good	full facilities	419	
<b>KNIVETON VILLAGE HALL</b>	<b>MKN</b>	Good with Level Access	Yes including Disabled	Good	full facilities - problems with phone reception	311	
<b>LITTON VILLAGE HALL</b>	<b>NLL/NLM</b>	Adequate with separate disabled access	Yes on Street excluding Disabled	Good	full facilities	344	
<b>LONGFORD SCHOOL</b>	<b>DLO</b>	Adequate - Level Gravelled Access	Limited with no Disabled	Adequate to poor - small and corridor access	Toilets only facilities for staff	300	
<b>MAPPLETON SPORTS PAVILION</b>	<b>IMA</b>	Poor - No Disabled Access and away from road	Poor - Disabled across field	Good	full facilities	122	
<b>MARSTON MONTGOMERY CORONATION HALL</b>	<b>OMM</b>	Good with separate Disabled Access	Yes on Street - Disabled at distance in Carpark	Good	full facilities	319	
<b>MATLOCK - HIGHFIELDS SCHOOL SPORTS HALL</b>	<b>PMC/QMC</b>	Good with Level Access	Yes including Disabled	Good but lighting could be better and mobile signal is poor	Toilets only	2124	2 stations
<b>MATLOCK - HURST FARM COMMUNITY CENTRE</b>	<b>PMH</b>	Adequate with rampLevel Access	Yes on Street including Disabled	Good but small to the exclusion of Tellers	full facilities	1071	
<b>MATLOCK - SCOUT AND GUIDE HEADQUARTERS</b>	<b>PMG</b>	Good with Level Access	Yes including Disabled	Good	full facilities	804	
<b>MATLOCK - THE IMPERIAL ROOMS</b>	<b>QMB</b>	Good with ramp	Yes including Disabled	Good	full facilities	1586	

OFFICIAL-[SENSITIVE]

## OFFICIAL-[SENSITIVE]

<b>MATLOCK ALL SAINTS CHURCH HALL</b>	<b>QMA</b>	Good with Level Access	Yes including Disabled	Good	full facilities	1466	
<b>MATLOCK BATH PAVILION - PUMP ROOM</b>	<b>RMB</b>	Good - requires temporary ramp	Yes including Disabled	Adequate but small to accommodate	full facilities can be cold	571	
<b>MIDDLETON &amp; SMERRIL VILLAGE HALL</b>	<b>YMS</b>	Adequate/poor & rear door disabled access	Yes on Street including Disabled	Good	full facilities	122	
<b>MIDDLETON VILLAGE HALL</b>	<b>ZMI</b>	Good with Level Access	Yes including Disabled	Good	full facilities	713	
<b>MONYASH VILLAGE HALL</b>	<b>YMO</b>	Good with Disabled Access	Yes including Disabled	Good	full facilities	258	
<b>NORBURY - MARY CLOWES HALL</b>	<b>ONR</b>	Good with Level Access	Yes including Disabled	Good	full facilities	232	
<b>OSMASTON CORONATION HALL</b>	<b>GOS/GYE</b>	Good with Level Access	Yes including Disabled	Good	Toilets - Kitchen for School Use	282	
<b>OVER HADDON VILLAGE HALL</b>	<b>HOH</b>	Good with Level Access	Yes including Disabled	Good	full facilities	212	
<b>PARWICH MEMORIAL HALL</b>	<b>IPA</b>	Good with Level Access	Yes including Disabled	Good	full facilities	369	
<b>PILSLEY SCHOOL</b>	<b>CPI</b>	Good with Level Access	Yes on Street including Disabled	Good but small	full facilities	112	
<b>ROWSLEY WI ROOM</b>	<b>VRO</b>	Good with Level Access	Yes including Disabled	Good	full facilities	386	
<b>SHELDON - HARTINGTON MEMORIAL HALL</b>	<b>HSB</b>	Good with Level Access	Yes including Disabled	Good	full facilities	65	
<b>SHIRLEY PARISH CHURCH</b>	<b>GSH</b>	Good with Level Access	Yes on Street excluding Disabled	Good	full facilities	189	
<b>SNELSTON READING ROOM</b>	<b>GSN</b>	Adequate with Ramp	Yes on Street excluding Disabled	Good	full facilities - poor phone signal	163	
<b>SOUTH DARLEY VILLAGE HALL</b>	<b>WSD/WSO/WSW</b>	Good with Level Access	Yes including Disabled	Good	full facilities	575	
<b>STANTON IN PEAK VILLAGE HALL</b>	<b>HNH/VSP</b>	Adequate without Level or Disabled Access	None	Adequate	full facilities	205	
<b>STANTON LEES CHAPEL</b>	<b>VSL/VSW</b>	Poor with no disabled access	Yes excluding disabled	Good	full facilities	78	
<b>STARKHOLMES VILLAGE HALL</b>	<b>PMS</b>	Adequate with ramp	Yes including Disabled	Good	full facilities	596	
<b>STONEY MIDDLETON - ST MARTIN'S CHURCH</b>	<b>FSM</b>	Poor disabled access	Limited including Disabled	Difficult for wheelchair access	full facilities	399	
<b>SUDBURY PARISH ROOM</b>	<b>ESU</b>	Good with Ramp -	Yes but Disabled at a distance	Good	full facilities	337	
<b>TADDINGTON - BRAMWELL MEMORIAL INSTITUTE</b>	<b>TTA/TBR/TBP</b>	Adequate - requires temporary ramp	Yes including Disabled	Good	full facilities	379	
<b>TANSLEY VILLAGE HALL</b>	<b>PTA</b>	Adequate but access is via slope	Yes including Disabled	Good but small to the exclusion of Tellers	full facilities	1032	
<b>THORPE VILLAGE HALL</b>	<b>ITH</b>	Adequate - requires temporary ramp	Yes but no Disabled	Good - internal steps	full facilities	128	
<b>TIDESWELL - FOUNTAIN SQUARE CHURCH</b>	<b>XTI/XWH</b>	Good with Disabled Access	Yes including Disabled	Good	full facilities	1380	

OFFICIAL-[SENSITIVE]

## OFFICIAL-[SENSITIVE]

<b>TISSINGTON VILLAGE HALL</b>	<b>IEA/ILH/ING/ITI</b>	Good with Level Access	Yes including Disabled	Good	full facilities	247	
<b>WARDLOW VILLAGE HALL</b>	<b>NWA</b>	Poor disabled access	Roadside only with fast moving traffic	Adequate - difficult wheelchair access	full facilities	100	
<b>WINSTER - JUBILEE ROOM, BURTON INSTITUTE</b>	<b>WWI/MIG</b>	Good with Level Access	Yes on side road.	Good	full facilities	469	
<b>WIRKSWORTH MEMORIAL HALL</b>	<b>ZWT</b>	Good with Level Access	Yes on Street excluding Disabled	Good	full facilities	3432	2 stations
<b>WYASTON VILLAGE HALL</b>	<b>GEW/ORO/OYE</b>	Good with Level Access	Yes including Disabled	Good	full facilities	493	
<b>YOULGRAVE VILLAGE HALL</b>	<b>YHA/YYO</b>	Good with Level Access	Yes including Disabled	Good	full facilities	908	