

Listed Buildings by Parish

Doveridge

LB Ref	Address	Description	Grade	Date Listed
414990	Ivy Cottage 9 Alms Road Doveridge Derbyshire DE6 5JZ	House. Late C17 encased in brick in mid C18. Red brick with plain tile roof and brick ridge stack. First floor brick band and plain eaves band. Two storeys. Lobby entrance plan. Three bay south elevation has central doorway with raised and fielded panel door. Lean-to porch on two rough poles. Flanked on each side by 3-light wooden casements under segment heads. Similar 2-light window to the right again. Two similar 3-light windows above, either side of a small circular window. Interior has inglenook fireplaces, exposed beams, stud partitions and a staircase with splat balusters.	II	19/11/1985
414991	Petworth Lodge Hall Drive Doveridge Ashbourne Derbyshire DE6 5NP	House, probably built as the agents house for Doveridge Hall. Probably 1777 by Thomas Gardner of Uttoxeter. Red brick with Sandstone ashlar dressings and welsh slate hipped roof. One brick lateral stack. Two storeys, plain first floor band and moulded eaves cornice. South elevation of three bays the centre being advanced and pedimented. Central doorway with projecting ashlar doorcase with pilasters and pediment. Six panelled door, the upper four panels glazed. Flanked on each side by glazing bar sashes with mould stone architraves. Three similar but smaller windows above. Well set back to the left an C18 wall, now part of the house, with large C20 windows. Interior has no features of special interest. Listed for Group Value.	II	19/11/1985

LB Ref	Address	Description	Grade	Date Listed
414992	The Stables And Attached Cottages Hall Drive Doveridge Derbyshire	<p>Stable block, now stables and four cottages. Late C18, possibly by Thomas Gardner of Uttoxeter. Red brick with welsh slate roof and brick ridge stacks. Some stone dressings. One and two storeys. Moulded stone eaves cornice. Triangular in plan. Symmetrical eleven bay south elevation. Tall pedimented central bay, advanced and rising above the flanking bays. Broad segmental carriage arch to ground floor with raised and fielded panelled doors. Lunette above with stone sill band. To the right two segmental arched wooden cross windows with brick header arches, a segmental arched doorway and a similar window to ground floor. To first floor two 2-light casement windows with segmental heads, a circular window and a further 2-light window. Five bays to left form mirror image. Within the courtyard, stables along one range with large segmental headed windows with small pane metal casements and original stable fittings. Coach houses along the other range with flat headed and segmental arched double doors with raised and fielded panelled doors. C20 walls attached at south west corner not of listable quality and mid C18 wrought iron gates brought from elsewhere. Listed for Group Value.</p>	II	19/11/1985

LB Ref	Address	Description	Grade	Date Listed
414993	St Cuthberts Church Church Lane Doveridge Derbyshire	<p>Parish church. Late C12, C13, early C14, C15. Restorations in 1840 and 1869. Sandstone ashlar, welsh slate south aisle roof, other roofs lead with coped gables. West steeple, clerestoreyed nave with aisles and chancel. Chamfered plinth. Plain parapet to clerestory and aisles. West tower of three stages with clasping buttresses. The lower part late C12, remodelled and raised in the C13. C14 ashlar spire, with one tier of lucarnes. C13 west doorway with one order of colonettes. Two closely spaced lancet lights above under a single dogtooth hoodmould. To the south a single narrow lancet, coupled lancets above under single dogtooth hoodmould, and a small lancet above again. A similar arrangement to north. Battlements and spire. North aisle has Dec west window of two cusped ogee lights, with hoodmould, low double chamfered north door now enclosed in c1980 corridor leading to church hall, not of listable quality. To the left are two 2-light Dec windows similar to the west window and between them a buttress. Angle buttress and 3-light east window with reticulated tracery. All windows with deep outer chamfer. The South aisle has a 2-light west window of two cusped lancets with mouchettes and quatrefoil. Hoodmould with head stops. The South side has a single chamfered doorway and hoodmould with head stops. C20 doors. To the right two Dec windows either side of a buttress as on the north side. Angle buttress and 3-light east window with renewed reticulated tracery. Clerestory has to the south four 3-light windows, the easternmost one has a segmental head and crudely trefoiled lights. The others have plain mullions under flat arches. The north side has two similar windows, one plain, the easternmost one as on the south. Tall chancel with blind clerestory. To the north five tall lancets, double chamfered and partly recut. Hoodmould continuing as string course. Heavy stringcourse at sill level of windows, above the plinth and beneath the clerestory. One heavy C19 buttress,</p>	I	13/09/1967

LB Ref	Address	Description	Grade	Date Listed
		<p>a buttress at the east and west ends and two low buttresses. The South side from the east has three similar lancets, a priests doorway with filleted roll moulding and hoodmould, and a tall 2-light C14 window with almost triangular headed cusped lights under one segmental head. Four string courses as on the north side. Two large buttresses and two smaller buttresses. Large 5-light Perp east window, much renewed, with panel tracery. Buttresses on either side. Beneath the east window a wall tablet to Katherine Wall died 1713, metal inscription plate with coat of arms and classical stone aedicule. Interior has four bay south arcade and three bay north arcade. octagonal piers and capitals and double chamfered arches. The capitals all look re-cut. In the south aisles evidence of an earlier clerestory. Low tower arch, double chamfered, the inner order on corbels low down, that to the south with a head and nailhead. No chancel arch, nave and chancel continue uninterrupted. Continuous moulded hoodmould over the windows and string course above. C15 nave and chancel roof with arched braced tie beams. Moulded principal rafters and purlins. North side of the chancel has a tomb recess with moulded arch. In front of it a brass surround to Ralph Okeover died 1487. To the right two aumbry, one with an early C19 door. Double piscina on the south side with octagonal colonette and moulded arches. C13. The right hand arch is cut into by a large wall monument above, to William Davenport and his wife, died 1640 and 1639. Free standing figures face each other across a prayer desk, architectural surround, three praying children below and a child in a cot. Arabella Cavendish died 1739, bold surround with frieze of gadrooning along the bottom. Henry Cavendish died 1698, with a bolection moulded surround. Francis Cavendish died 1650, tablet framed by paired columns with a kind of round-arched pediment. Rev. John Fitzherbert died 1785, tablet surmounted by an urn against a slate</p>		

LB Ref	Address	Description	Grade	Date Listed
		<p>obelisk. Small brass to the left of the aumbry to Francis Cavendish died 1650. Rev Thomas Cavendish died 1859, tablet by C Maile Sc of London. In the South aisle a wall monument to Thomas Milward died 1658 with crudely carved figures holding back curtains from the tablet. Incised alabaster slab, to a priest, C14 (north aisle). Chest, probably C17, in the Chancel. Stained glass: Two lancets in chancel south c1924 by Kempe and Tower. In the north windows glass of the 1860s possibly by Clayton and Bell. Two windows in the north aisle 1960 by Patrick Nuttgens. In the south aisle west window, jumbled fragments of C15 glass. Font, circular bowl on a cluster of shafts, probably C13 but completely recut. C18 cover. Three C18 hatchments (chancel north). C19 woodwork. Listed for Group Value</p>		
414994	Churchyard Cross At St Cuthberts Church Lane Doveridge Derbyshire	<p>Churchyard Cross. Probably C14 with C19 restoration. Sandstone ashlar. Square base set on five circular stone steps and surmounted by a tapering shaft with hollowed-out sides. Square top lantern with trefoiled sides, incorporating a crucifix in one side. Listed for Group Value.</p>	II	19/11/1985
414995	Dove Bridge Doveridge Derbyshire	<p>Road bridge, now disused. Probably C15, Coursed squared sandstone. Six arches, rising to the centre. Two central arches round-arched. Outer four with segmental pointed arches with a single chamfer. Tall triangular cutwaters between each arch. Plain parapet walls.</p>	IISTAR	13/09/1967

LB Ref	Address	Description	Grade	Date Listed
414997	Home Farm West Broughton Sudbury Derbyshire DE6 5HX	<p>Farmhouse. C16, early C18 and C19. Red brick and close studded timber frame with plaster infill, partly encased in brick and clapboard. Plain tile roofs with three brick ridge stacks and two gable stacks. Two storeys, irregular plan. East elevation of four bays with exposed close studded timber frame. Right hand two bays may be earlier. Twin gabled with central stack and first floor jetty. Clapboard to upper floor. Ground floor has two 3-light casement windows and a door to the left. Two similar 3-light windows above and two single-light trefoil-headed windows in the gables. Large, gabled two storey porch to right, close studded, with middle rail and diagonal and decorative timbers in the gable. Moulded floor plate. Oak panelled door to east with 3-light wooden mullioned and transomed window above, with diamond leaded lights. To the sides of the porch a 4-light and a 3-light wooden mullion window. Further bay to right with a 3-light wooden casement window to ground floor and a 2-light window above. North gable end has exposed timbers with middle rail and moulded brackets. Early C18 west wing of brick with first floor band and second floor band to south gable end, which has two 2-light casement windows with gauged brick heads. The lower window has metal diamond lights. To the right irregular fenestration of tripartite casement windows under segment heads. C19 south west wing. South gable end to right with chamfered plinth, first floor band, and to the ground floor a blocked doorway and a blocked window with gauged brick head. Interior has exposed ceiling beams, centre room on the ground floor has Jacobean panelling and a stone chimneypiece. Several early Georgian panelled doors. Bedroom at the south end has a wooden bolection moulded chimneypiece. Within the existing roof an older, possibly medieval, crown post collar purlin roof of two full bays. Smokeblackened and with ashlar pieces from the rafters to the wall plates.</p>	IISTAR	13/09/1967

LB Ref	Address	Description	Grade	Date Listed
414998	The Lodge Brocksford Hall Derby Road Doveridge Derbyshire DE6 5PA	Lodge. 1893 by Douglas and Fordham of Chester. Red brick with Sandstone dressings, and timber framed. Plain tile roof. Massive panelled brick ridge stacks. Asymmetrical. Two bay east elevation with broad gable to left. Brick ground floor with a canted bay window of 1-3-1 lights with recessed and chamfered stone surround. The upper floor jettied and timber framed, with two 2-light wooden casement windows. Single storey porch bay to right with hipped roof and C20 half glazed door. Listed for Group Value.	II	19/11/1985

LB Ref	Address	Description	Grade	Date Listed
414999	Brocksford Hall Derby Road Doveridge Derbyshire DE6 5PA	<p>Small country house, now school. 1893 for Mr C W Jervis Smith by Douglas and Fordham of Chester, in a Jacobean style. Brick, faced with Ruabon wire-cut bricks. Blue brick diaper work and mottled red and white Hollington stone dressings. Plain tile roof with dark brindled tiles. Stone coped gables with moulded kneelers and ball finials. Six tall brick stacks. Brick tower to south east with pyramid roof, containing the water tank. Elevations symmetrical in massing but not in detail. Seven bay north elevation with five gables. Mullioned and transomed windows with ovolo moulded mullions. Off-centre two storey porch has Tudor-arched doorway, plank double doors and single light windows with transom on each side. Canted oriel above of 1-3-1 lights, with angle finials and sunk panel with coat of arms above. To the right a 4-light mullioned and transomed window with 4-light mullion window above with decorative cresting. To right again a large paired staircase window of 2 plus 2 lights with two transoms. Similar details to left of porch with one, two, three and four light windows and a smaller secondary staircase window. Low, flat-roofed, single storey bay is a slightly later addition. Six bay south elevation with symmetrical arrangement of three gables. Advanced centre bay has a 4-light mullioned and transomed window with 3-light window above. To the left are two 3-light mullioned and transomed windows with two 3-light windows above. Advanced gabled bay to left again has a broad two storey canted bay window of 2-3-2 lights to each floor, the lower ones with transom. Small 2-light window in the gable. To the right of the centre bay a doorway with later half-timbered porch and 3-light mullioned and transomed window. 4-light window above. Advanced bay to right again almost matches the corresponding bay to left, with canted bay, but with a 4-light window in the gable and a slit window above. Water tower set back to right. In the angle a single storey bay with curious stepped parapet Brick and timber framed stable block</p>	II	19/11/1985

LB Ref	Address	Description	Grade	Date Listed
		<p>attached to north east corner forming an L-range. Carriage entrance with timber framed upper floor with a 3-light window to west. Pedimented bell turret with ogee-capped louvred lantern and weather vane above. The interior of the house has a re-used mid-C18 staircase around an open well. Two turned balusters per tread, curved tread ends and ramped and wreathed handrail. Raised and fielded panelled dado. The drawing room has re-used mid C18 panelling, doorcase with lugged architrave with egg and dart motif and carved overdoor with modillion cornice. Elaborate chimney piece with Rococo overmantel enclosing a circular painting. The upper landing has fluted columns and keyed segmental arches. Re-used C18 chimney piece. The entrance hall has possibly re-used Jacobean panelling and a re-used plaster frieze. The re-used material came from Fenton Hall in Staffordshire. source: Building News Vol. 64, 1893 p.867. Listed for Group Value.</p>		
415000	The Cavendish Arms Derby Road Doveridge Derbyshire DE6 5JR	<p>Public House. Early C19. Red brick, mostly roughcast. Plain tile hipped roof with two brick ridge stacks and a lateral stack. Twin gabled rear wing with a gable stack. Dentil eaves cornice. Two storeys. Three bay north elevation. Off-centre doorway with moulded wood surround with paired pilasters. Panelled door. To the right a tripartite glazing bar sash window with similar window above. To the left two glazing bar sashes with two similar sashes above.</p>	II	19/11/1985

LB Ref	Address	Description	Grade	Date Listed
415001	Eaton Hall Farm Doveridge Derbyshire DE6 5LN	Farmhouse. Early C18 and mid C19. Red brick, plain tile hipped roof with two brick stacks. Two storeys plus attics. First floor band. Two bay symmetrical west elevation. Central doorway with flat brick arch and a secondary arch above. C20 door. Flanked on each side by broad 4-light mid-C19 wooden casement windows. Flat arched brick lintels above of C18 narrower sash windows. Two further blocked C18 windows. Two similar mid - C19 windows above and evidence of five blocked C18 sash windows. Two large mid - C19 gabled dormers above with brick copings and plain kneelers. 2-light casement windows. South elevation of two bays with further blocked C18 windows. Irregular east elevation with a large staircase window. Interior has exposed principal beams and an inglenook. An early C18 style dogleg staircase with closed string and widely spaced turned balusters.	II	19/11/1985

LB Ref	Address	Description	Grade	Date Listed
415002	Flacketts Cottage Flackets Lane Sudbury Derbyshire DE6 5HX	<p>The description has been amended (16.01.91) to read: House. C16, C17 and C19. timber-framed, the older section close studded with plaster infill, the C17 work with large panels and straight frames, brick nogging. Altered mid-C19 in red brick. Fishscale tile roof with quadrupartite brick ridge stack and a brick gable stack. Two storeys, T-plan, the main range with lobby entry. Three bay west elevation. Right hand two bays have exposed box framing with small upward braces. Doorway against the stack with cambered lintel and plank door. Small square window to right. To the left are two 2-light casement windows placed together. Gabled dormer above with fretted barge boards. Two 2-light windows to ground floor with flat brick arches and returned hoodmoulds. Gabled dormer above with fretted barge boards. Left hand part has close studded timber framing many of the studs removed. Two 2-light casement windows placed together. South gable end rebuilt c1850 in red brick with decorative fretted barge boards. Two 2-light windows to ground floor with flat brick arches and returned hoodmoulds. One similar window above. Some timber framing exposed on east wall and internally. Stud partition and exposed ceiling beams. Massive stack at south end with large inglenook fireplaces. Internal framed partitions, chanfered ceiling beams and exposed joists. Cambered door lintel to 1st floor. Braced single purlin roof. ----- Cottage. C17 timber framed, with lath and plaster, and brick infil. Altered mid - C19 in red brick. Fishscale tile roof with quadrupartite brick ridge stack and a brick gable stack. Two storeys, T-plan. Three bay west elevation. Right hand two bays have exposed box framing with small upward braces. Doorway against the stack with Tudor arched lintel and plank door. Small square window to right. To the left are two 2-light casement windows placed together. Gabled dormer above with fretted barge boards. Left hand part has close studded timber framing to first floor and</p>	II	19/11/1985

LB Ref	Address	Description	Grade	Date Listed
		box framing below. Two 2-light casement windows placed together. South gable end rebuilt c1850 in red brick with decorative fretted barge boards. Two 2-light windows to ground floor with flat brick arches and returned hoodmoulds. One similar window above. Some timber framing exposed on east wall and internally. Stud partition and exposed ceiling beams. Massive stack at south end with large inglenook fireplaces. Braced single purlin roof.		
415003	The Gables Lower Street Doveridge Derbyshire DE6 5NS	House. Late C17 and C19. Brick painted white, plain tile roofs with one brick ridge stack. Stone coped gables with moulded kneelers to main part. One and a half and two storeys. T-plan. South elevation has gabled bay on right with chamfered plinth and elaborately moulded stringcourses at first, second and attic floor levels. Ground and first floor each have two wooden cross windows under gauged brick arches. A 2-light window in the gable. Lower C19 wing to left, set back, has lean-to porch and tripartite casement window to ground floor and a similar 2-light window above in a gabled dormer. East elevation retains part of the elaborately moulded stringcourses.	II	13/09/1967
415004	Slade House Pickleys Lane Doveridge Derbyshire DE6 5NT	Farmhouse. Early C18 altered late C18. Red brick and plain tile roof with a brick gable stack and a brick stack rising from the pitch of the roof. Two storeys. South elevation of three bays plus an additional lean-to fourth bay. Right hand half early C18 with first and second floor bands. Off centre doorway with C20 door and flimsy wooden porch. Flanked on each side by 3-light wooden casement windows under segment heads. Two similar windows above, either side of a tall staircase windows. Lean-to bay to left has a similar 3-light window. Listed for Group Value.	II	19/11/1985

LB Ref	Address	Description	Grade	Date Listed
415005	The Willows Lower Street Doveridge Derbyshire DE6 5NS	House. C17 enlarged C20. Timber framed with plain tile roof and brick stacks. Box framing with brick infill. Single storey plus attics. Box framing exposed to north and east. North elevation has an off-centre doorway with Tudor-arched lintel and gabled porch hood. C20 door. C20 window to the right. C20 flat roofed dormer above. Taller C20 range to right not of listable quality. Listed for Group Value only.	II	19/11/1985
415006	Lower Street Farm Lower Street Doveridge Derbyshire DE6 5NS	Farmhouse. Early C16, with mid C18 rear wing. Close studded timber frame with lath and plaster infill, partly encased in brick in C18. Brick rear wing with first floor band. Plain tile roof. Massive brick ridge stack and a later brick stack in the pitch of the roof. Two storeys. T-plan. Timber framed part has three cell lobby entrance plan. North elevation of three bays with exposed close studding with middle rail and braces below the eaves. Off-centre doorway in line with the stack. Massive studded oak plank door. Two 3-light wooden casements to right and a 2-light to left. Three 3-light wooden casements above and a small square window over the door. Timber frame exposed on east gable end wall but encased in brick on west gable end wall. C18 rear wing has 3-light casement windows under segmental arches. Interior has stud partitions and oak plank doors in wooden surrounds with Tudor arches. Some windows have drop shutters. Central room on ground floor has large inglenook and salt cupboard. Room at east end with early C17 panelling and panelled door. Upper floor has three room plan with corridor along south side of the middle room and retains the upper flight-to the attic of the wooden winder staircase. Double purlin roof. Rear wing has raised and fielded panelled doors and a dogleg staircase with turned balusters. Small C20 addition at south east corner.	IISTAR	13/09/1967

LB Ref	Address	Description	Grade	Date Listed
415007	Old Hall Farm Lower Street Doveridge Derbyshire DE6 5NS	Farmhouse. Mid C18. Red brick, plain tile hipped roof with two brick stacks in the pitch of the roof. First floor brick band. Two storeys. South east elevation, symmetrical, of three broad bays. Central doorway with gauged brick head. Six panelled door. Flanked on each side by 3-light wooden casement windows under gauged brick heads. Central opening half light. Two similar windows above under gauged brick heads, and in the centre a narrower window with gauged brick head and with C20 window. The interior has a broad central corridor the- full depth of the house, with a dogleg staircase at the end. Brick vaulted cellars with a brick tunnel vaulted underground passage leading off.	II	19/11/1985
415008	Woodhouse Farm 11 Marston Lane Doveridge Derbyshire DE6 5JS	Farmhouse. C17 and early C19. Red brick and plain tile roof with a brick ridge stack and a brick gable stack, to front range, and brick gable stacks and a ridge stack to rear range. Dentil eaves cornice. Two storeys plus garrets. Double range plan. Three bay south elevation. Off-centre mid-C20 gabled porch. To the left a broad, low, 3-light wooden casement window under segmental head. Two similar windows to right and three similar windows above. The interior has stud partition walls, stop chamfered beams and an early C19 open well staircase with stick balusters.	II	19/11/1985

LB Ref	Address	Description	Grade	Date Listed
415009	Old Vicarage 11 Church Lane Doveridge Derbyshire DE6 5NN	Vicarage, now a private house. C18 and early C19. Red brick and brick cement rendered. Hipped welsh slate roof with three ridge stacks. Two storeys. Three by three bay early C19 block. South elevation has a canted bay window to left and a tripartite glazing bar sash window to right. Three glazing bar sashes above. West elevation has two glazing bar sashes on either side of glazed double doors, with moulded stone architrave. Three glazing bar sashes above. Lower wing to left has dentil eaves cornice and glazing bar sashes underwedge lintels. Inside, C18 staircase with curved tread ends, three turned balusters per tread and a ramped handrail. Listed for Group Value.	II	19/11/1985

LB Ref	Address	Description	Grade	Date Listed
415496	Manor House 15 Chapel Green Doveridge Derbyshire DE6 5JY	<p>House. Early C18 and early C20. Red brick and plain tile hipped roofs with four brick stacks. First and second floor brick bands. white painted dentilled eaves cornice. H-plan with early C20 wing to north. Two storeys. West elevation of four bays. Three right hand bays originally symmetrical with the outer bays projecting. Recessed centre bay now has projecting early C20 brick porch with plain stone entablature and dentilled pediment. Keyed round-arched doorway flanked by pilasters. Plank door and glazed overlight. Top hung casements on either side with leaded lights. Three-light wooden casement window above with transom. Gauged brick lintel with keyblock. Left hand bay has a similar 3-light window to ground and first floor and right bay has a similar window to the first floor. The one to the ground floor has been replaced by an early C20 canted bay. Two hipped-roof dormers on projecting bays. Early C20 wing to left has projecting flat roofed ground floor bay with early C18 style cross window. Early C18 style 2-light window above. Roof dormer. Garden elevation has similar 3 and 4-light windows with transoms. Left hand bay has to the ground floor an early C20 bow window. Attached to the north east corner is an early C18 outbuilding said to have been an oast house. Pitched roof with one brick gable stack. Brick bands and dentilled eaves cornice. Two storeys with 3-light casement window under segment head to west. Blind openings and ventilation holes to north and south. Interior of house has oak panelled entrance hall and open well staircase rising through three storeys. Panelling continues to first floor. The staircase has closed string, turned balusters and ramped handrail. C17 style panelling. Stone flag floor to entrance hall, and raised and fielded panel doors. Curved C17 overmantel, possibly German. The sitting room has a Flemish style chimneypiece. Dining room has a neo-Jacobean chimneypiece incorporating genuine fragments. Early C18 back staircase with turned</p>	IISTAR	13/09/1967

LB Ref	Address	Description	Grade	Date Listed
		balusters.		
415497	Brookside Cottage Pickleys Lane Doveridge Derbyshire DE6 5NT	Three cottages, now all one. C17 and mid C19. Timber framed with brick infill. Thatched roof with two brick ridge stacks. Brick plinth. Box framed with outshot to north. Single storey plus attics. Irregular four bay south elevation. To the left a 3-light casement window. To the right a doorway with C20 gabled hood on brackets and plank door. To the right again a large C20 casement window and a C20 lean-to conservatory. Partly raised in mid-C19 in brick with three gables. Jagged brick band. Three 2-light-casements: Box framing exposed on West gable end, and on west end of outshot. Interior has a passage along the north side. Two ground floor rooms at the west end have exposed beams and inglenook fireplaces. One upper cruck truss. Listed for Group Value.	II	19/11/1985
415498	Heath House Flackets Lane Sudbury Derbyshire DE6 5PE	Farmhouse. Late C18 and early C19. Red brick with plain tile roof. Two brick gable stacks and a brick ridge stack. Brick dentil eaves cornice. Two storeys plus gables. Four bay south elevation, 3 plus 1. Right hand three bays symmetrical with central doorway under segment head. Six panelled door, Tripartite early C19 'Trafalgar' porch with latticework panels. Flanked on each side by 3-light casement windows under segment heads. Two light window above with segment head, flanked on each side by similar 3-light windows. Further bay to left with a similar 3-light window to each floor. Small low attic window beneath the eaves in the centre.	II	19/11/1985

LB Ref	Address	Description	Grade	Date Listed
415499	North Lodge Upwoods Road Doveridge Derbyshire DE6 5LL	Farmhouse. Early C19, Red brick with plain tile roof. Brick gable stacks and one ridge stack. Three storeys. Three bay south elevation. Off-centre doorway with panelled door, the top two panels glazed. Open flat-roofed wooden porch on fluted columns. To the left a segment headed casement window. To the right two segment headed windows, the first with a glazing bar sash, the second with wooden casement. Three similar windows above, only the left hand one with a glazing bar sash. Two similar but smaller windows above, the left hand one with a glazing bar sash, the right with casements. To the right a blind window with sash type window painted on.	II	19/11/1985
415500	Eaton Dovedale Farm Doveridge Derbyshire DE6 5LP	Farmhouse. Late C18. Red brick with plain tile roof, brick ridge stack and brick gable stack. Brick dentil eaves cornice. Two storeys plus garets. Long five bay west elevation. Off-centre doorway with moulded surround and mid C19 half glazed door. To the right a 3-light wooden casement window under a segmental head. Similar window to left and similar but smaller window to left again. Five similar windows above. East elevation has a tall staircase window.	II	19/11/1985

LB Ref	Address	Description	Grade	Date Listed
416706	Park Cottage And Park House Main Road Sudbury Derbyshire DE6 5HT	House and attached cottage. Early C18 and c1875 by George Devey. Red brick with burnt brick headers and blue brick diaper work. Timber frame. Plain tile roofs. Three brick gable stacks and three lateral stacks, one with three diamond plan shafts Stone coped gables with moulded kneelers to Park House. Two storeys. First floor rick band to C18 part. Four bay north elevation of two plus two. Park Cottage to right has a central doorway with panelled door, flanked by 2-light casement windows with leaded lights, under flat arches. Two similar 2-light windows above. Park House to left is taller. Doorway to right with segment head and panelled door. Three light casement window to left under segment head and canted bay window to left again of 1-3-1 lights. Two 2-light windows above under segment heads. Two roof dormers above with hipped roofs. Additions by George Devey to south and east of Park House. Each elevation has a gabled two storey timber framed porch with open balustrade to ground floor, the upper floor coved out, with a 4-light window. South elevation has a projecting gabled bay to right with diaper work, a 4-light casement window to each floor, the lower one with segment relieving arch, the upper with wedge brick lintel. Blind circular window in the gable. Timber framing continues to left on upper floor. Lower Projecting gabled bay to left. Park Cottage has an inscription T Coxon 1878. Coxon was the estate manager or Clerk of Works at the time, to the Sudbury estate. Source: Original drawings in the Vernon Estate Office. Listed for Group Value.	II	19/11/1985
Total	25			