

# Listed Buildings by Parish

Somersal Herbert

<b>LB Ref</b>	<b>Address</b>	<b>Description</b>	<b>Grade</b>	<b>Date Listed</b>
415501	St Peters Church Somersal Herbert Derbyshire	<p>Parish church. Rebuilt in 1836 and again in 1874 by C J Neale of Mansfield, probably re-using medieval masonry. West tower 1912, possibly by Currey &amp; Thompson of Derby. Sandstone ashlar and red brick. Welsh slate roofs, stone coped gables with plain kneelers and a cross finial on the east gable. Plain parapets to nave and chancel. West tower, nave with south porch and chancel. West tower in 'Free Gothic' style angle buttresses with three set-offs, castellated parapet. Polygonal stair turret projects from the north west corner and its parapet rises above the tower parapet. 3-light west window with triangular headed lights, the centre one cusped, under a Gothic arch with almost straight sides. Hoodmould. Small cusped lancets above on three sides. Clock face above again on all four sides. Bell stage has on all faces paired louvred bell openings with Gothic arches with almost straight sides, dying into the impost. Simple hollow moulding and cusping. Stringcourse at the base of the parapet. The nave and chancel walls run without a break but the two parts are expressed externally by a break in the roofline. On the north side are three buttresses with two set-offs; to the nave, two 3-light windows under flat arches, with cusped lancet lights. One similar 2-light window to the chancel. The south side has three similar buttresses, one against the east wall and one similar 3-light window to the nave. Perpendicular style east window of 5-lights with hoodmould and moulded surround. Gabled south porch. Red brick with heavy rusticated stone quoins and a massive keyed stone lintel. It is in the style of c1700 but probably dates from 1836, re-using old materials. Interior, triple chamfered tower arch without capitals.</p>	II	13/09/1967

<b>LB Ref</b>	<b>Address</b>	<b>Description</b>	<b>Grade</b>	<b>Date Listed</b>
		Broad, double chamfered Perp Style chancel arch. Nave and chancel roofs have kingpost trusses supported by arched braces on corbels. Early C12 circular tub font with intersecting blind arcading and a frieze of lozenges overlaid with intermittent circles. Tomb recess in the chancel north side with hollow moulding. In the recess the torso and head of a priest with arms folded and a chalice in his lap. Probably early C15. Wall monument (chancel south), aedicule with broken pediment enclosing a coat of arms. Dated 1601. Stained glass. West window c1873 by Wailes. Chancel north window 1896 by Kempe. Listed for Group Value.		
415502	The Cross St Peters Church Somersal Herbert Derbyshire	Churchyard cross. C15. Sandstone. Square base set on two stone steps and surmounted by a tall octagonal shaft with moulded top and cusped base of a cross finial. Listed for Group Value.	II	13/09/1967
415503	Lychgate St Peters Church Somersal Herbert Derbyshire	Lychgate. c1920. Coursed squared sandstone and sawn timber, with plain tile hipped roof, advanced to north and south. Chamfered stone base supporting a timber superstructure of massive square timbers closely set. Gates to north side with plank uprights diagonally braced with curved top. Good wrought iron work. Listed for Group Value.	II	19/11/1985

LB Ref	Address	Description	Grade	Date Listed
415504	Somersal Hall Somersal Herbert Derbyshire DE6 5PD	<p>Small country house. Early C16, 1564, partly encased in brick in 1712, restored 1899. Timber framing with lath and plaster infill, red brick, plain tile roof with brick ridge and gable stacks. Two storeys with attics. Irregular plan. Irregular north elevation. Right hand part early C16, close studded timber framing with a middle rail to each floor. Ground floor has three 2-light and a 3-light ovolo mullioned windows either side of a timber framed porch of 1899 with openings on each side with turned balusters. First-floor has three wooden cross windows either side of a 3-light window. Coved eaves with broad gable to right with decorative double curved braces and a 2-light window. Large twin gabled dormer to right with a 2-light window and box framing with decorative quatrefoil motifs Left hand part has a broad gabled bay with box framing with diagonal bracing and quatrefoil motifs in the gable. Two 3-light windows to ground floor and two 2-light windows above either side of a smaller 5-Light window. 2-light window in the gable. Most of the windows are of 1899 in C17 and C18 style with square or diamond leaded lights. Exposed framing continues to one bay of west elevation. Early C18 brick casing to right hand bay of west elevation and whole of south elevation. South elevation has four gabled bays. First and second floor bands to left part. Left hand bay has two wooden cross windows to each floor under gauged brick arches. 2-light windows in the gable. Second bay has to ground floor a similar blocked window and a C19 doorway with round arch. First floor has a similar blocked window and a cross window. 2-light window in the gable. Third recessed bay with double doors and a 3-light mullioned and transomed window both under wooden lintels, to ground floor. Two 2-light windows above. Right hand bay has three wooden cross windows to ground floor, one similar window above and a 3-light window in the gable. Additional bay to right with a 3-light stone mullioned window to ground floor and a glazing bar</p>	I	05/02/1982

LB Ref	Address	Description	Grade	Date Listed
		<p>sash above. Gabled bay with exposed timber framing to east and a blocked 3-light C17 window. Late C19 wing to north east not of listable quality. Interior has exposed timber framing, stud partitions and beams. The beams are mostly unmoulded except for one finely moulded beam in the kitchen. Entrance hall with re-used Jacobean panelling partly C19. Chamfered beams. Drawing room has a late C16 style stone chimney piece. Wooden plaque said to have come from over the front door, inscribed ANNO DN1/1564 IHON/FYTS HER/BERT HYS/WYFE IHS. Main staircase around a square well, with closed string and turned balusters, possibly c1660 but in its present form mostly C19. Back staircase of c1660 with robust splat balusters to the first floor landing. Bedroom over the hall with early C18 raised and fielded panelling and double cornice. Bedroom at north west corner has a small amount of late C17 panelling, re-set and restored. Bedroom at south west corner has early C17 staggered panelling and curved freize. To the east the junction of two buildings is clearly visible internally by the placing of two walls side by side with a gap of about two feet between. Bedroom to south east has an early C18 bolection moulded wooden chimneypiece with overmantel and cornice. A further bedroom has a built-in cupboard made up from curved late C16 fragments. In the roof a gable, formerly external, has a 3-light mullioned window. Listed for Group Value.</p>		

<b>LB Ref</b>	<b>Address</b>	<b>Description</b>	<b>Grade</b>	<b>Date Listed</b>
415505	Outbuildings To North East Of Somersal Hall Somersal Herbert Derbyshire DE6 5PD	Outbuildings, now barn, cottage and outbuilding under a continuous roof. Early C18 and mid C19. Red brick with plain tile roof. One brick ridge stack. L-plan. Two storeys C18 range to west has first floor brick band. West elevation of four bays. Two C20 windows to left, small window to right with diamond glazing, then two breather openings, a blocked window with segmental head and two further windows with segmental heads. First floor has four blocked breathers to left and two C20 dormers above, then two breathers to right and a C19 gabled dormer with diamond lights. Irregular east elevation has at south end a pattern of Vitrified headers. East range largely rebuilt in mid C19 but with fragmentary evidence of a timber frame. North elevation has gabled bay to right now converted into a cottage. Double doors to left and a door with segmental arch to left again. Circular pitching eye and diamond pattern breathers. Wall attached to south and gatepiers with stone caps and ball finials. Listed for group value only. Listed for Group Value.	II	19/11/1985
415506	Gate Piers And Attached Walls At The Hall Somersal Herbert Derbyshire DE6 5PD	Gate piers and wall. Early C18. Red brick and sandstone ashlar. Rusticated ashlar gate piers with moulded caps and urns with swags. Red brick walls attached to east for about ten feet and to West as far as churchyard. Stone coped, with two chamfered set offs and pilaster buttresses. Listed for Group Value.	II	13/09/1967

<b>LB Ref</b>	<b>Address</b>	<b>Description</b>	<b>Grade</b>	<b>Date Listed</b>
415507	The Old Cottage Somersal Herbert Derbyshire DE6 5PD	Formerly listed as The Old Police Station. Cottage. Early C17, restored 1952. Timber framed with red brick infill. Thatched roof with one brick stack just off the ridge. Single storey and attics. Box framing visible on all four sides. North elevation has a doorway to the right with plank door. Two-light casement window to the right and three similar 2-light windows to the left. One similar 2-light window above in an eyebrow dormer. Interior has inglenook fireplaces and exposed beams and stud partitions.	II	13/09/1967

LB Ref	Address	Description	Grade	Date Listed
415511	Montgomery House Somersal Herbert Derbyshire DE6 5PD	<p>House. Late C16, early C17, C19. Timber framed with lath and plaster infill, and brick infill. Red brick. Plain tile roofs with brick gable stacks. Two storeys. Lower part to west originally a three or four bay C16 box framed hall house with stone plinth. Early C17 range to right with close studded timber framed cross wing with stone plinth. Centre part rebuilt in brick in C19. Two storeys and single storey with attics. Irregular six bay south elevation. Gabled cross wing to right has exposed close studded timber frame with lath and plaster infill and diagonal braces, over a brick ground floor. Three-light C20 casement window to ground and first floor and similar 2-light in the gable. C19 brick range to left has a tripartite window/door with margin lights and a doorway with moulded wood surround with the date 1608. Two glazing bar sashes above with wedge lintels and a smaller sash with wedge lintel. Dentil eaves cornice. Lower part to left with exposed box framing with diagonal braces. Four C20 2-light casement windows and two gabled dormers above. Cross wing has exposed framing to upper floor on all sides. To the north a C17 4-light wooden ovolo moulded mullion window. Interior has a broad dogleg staircase, with stud partition instead of banisters. Large turned balusters at attic level. Stud partitions. An upper room has early C17 staggered panelling. Another upper room has an elaborate early C17 chimneypiece. Listed for Group Value.</p>	IISTAR	13/09/1967

<b>LB Ref</b>	<b>Address</b>	<b>Description</b>	<b>Grade</b>	<b>Date Listed</b>
415512	Barn To Rear Of Montgomery House Somersal Herbert Derbyshire DE6 5PD	Formerly listed as Barn to rear of Cottage Farm. Barn, probably built as a barn and cottage. C16, early C17 and C18. Timber framed with brick infill. Stone plinth, plain tile roof with one brick ridge stack. Box framed. North elevation with exposed box framing with two pairs of diagonal braces. Central doorway with plank door. To the right two 2-light C20 wooden casement windows with diamond leaded lights. This bay is probably the earliest part of the building as it stands on a stone plinth. The quality of the joinery suggests it was for domestic use. To the left of the doorway is one similar 2-light window. This bay appears to have been added as a separate structure in the early C17 and the two later linked together as the timbers between these two bays are all re-used. Extended to west in C18. South elevation encased in brick. Segmental arched windows with C20 wooden casements with diamond lights. Segmental arched cart entrance to left. The interior has three box framed cross walls. Source: Unpublished report by John Goom of Derek Latham and Associates. Listed for Group Value.	II	25/10/1979
415513	Church Cottage Somersal Herbert Derbyshire DE6 5PD	Cottage. Early C17, extended and encased in brick in C19. Timber framed with crucks, and red brick. Plain tile roof with one brick ridge stack and two brick gable stacks in the pitch of the roof. Single storey and attics. Single bay cruck cottage extended at both ends in C19 to form a three cell cottage. South elevation of four bays. Off centre doorway with segment head and plank door under wooden lintel. To the right a C20 window under a flat arch. To the left a segment headed window with C20 casement. To the left again a C20 window under flat arch. One gabled half dormer above. Interior has two exposed crucks, one partly truncated. Inglenook fireplace and exposed beams. Listed for Group Value.	II	19/11/1985



<b>LB Ref</b>	<b>Address</b>	<b>Description</b>	<b>Grade</b>	<b>Date Listed</b>
415514	Hill Farm Somersal Herbert Derbyshire DE6 5PE	Farmhouse. Late C18. Red brick with plain tile roof and brick gable stacks. Two storeys and attics. L-plan. Two bay south elevation has central doorway with segmental head and C19 half-glazed door. Flanked on each side by 3-light wooden casement windows under segment heads. Two similar windows above either side of a similar narrower window now bricked up. Blind attic storey above with windows in the gable ends.	II	19/11/1985
416716	Telephone Box Somersal Herbert Derbyshire	Telephone kiosk. Type K6. Designed 1935 by Sir Giles Gilbert Scott. Made by various contractors. Cast iron. Square kiosk with domed roof. Unperforated crowns to top panels and margin glazing to windows and door.	II	14/07/1988
<b>Total</b>	<b>12</b>			